Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	14	((PCI or "peripheral component interconnect") near2 express) near4 (advantage\$1 or benefit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/17 17:40
S1	1	("20050228925").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/11 16:30
S2	8299	((high\$2 or low\$2) near2 frequency) same bus	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/11 16:46
S5	1252	(high\$2 near2 frequency) same (low\$2 near2 frequency) same bus	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 10:30
S6	102	S5 and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/11 16:47
S7	176	(high\$2 near2 frequency) same (low\$2 near2 frequency) same bus same transfer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 16:01
S9	8330	(remov\$3 or eliminat\$3) near2 oscillat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/17 17:21
S10	2978	((remov\$3 or eliminat\$3) near2 oscillat\$4) same signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 16:03
S11	1373	((remov\$3 or eliminat\$3) near2 oscillat\$4) same signal\$1 same (level or low or high)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 16:04
S12	539	((remov\$3 or eliminat\$3) near2 oscillation\$1) same signal\$1 same (level or low or high)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 16:14

			,			
S13	173	((remov\$3 or eliminat\$3) near2 oscillation\$1) near8 signal\$1 same (level or low or high)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 16:23
S14	58	((remov\$3 or eliminat\$3) near2 oscillation\$1) near8 signal\$1 same (level or low or high) and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/13 11:34
S16	3076	(oscillat\$5 near2 detect\$3) near8 (high or low or "0" or "1")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 17:14
S17	2	S16 and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 17:08
S18	23	(oscillat\$5 near2 detect\$3) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/13 13:47
S19	1	(oscillat\$5 near2 clamp\$3) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/13 11:31
S20	1004	((remov\$3 or eliminat\$3) near2 switching) near8 signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/13 11:34
S21	6	S20 and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/13 11:35
S22	6977	(oscillat\$5 near2 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/13 15:47
S25	252	(oscillat\$5 near2 detector) and (7??/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/13 15:48

S26	1	("3819906").PN.	US-PGPUB;	OR	OFF	2006/01/17 13:45
		·	USPAT;			
			USOCR;			
ļ			EPO; JPO;			
			IBM_TDB			